



**BEFORE BEGINNING THIS PROJECT, YOU'LL HAVE TO LEARN SOME BASIC CROCHET TECHNIQUES: MAGIC LOOP, DOUBLE CROCHET AND FASTENING OFF. TO START WITH, USE THE CROCHET HOOK TO CREATE A MAGIC LOOP.**

1




FOLLOWING THE ILLUSTRATION, WRAP THE YARN AROUND YOUR FINGER TWICE. LEAVE AT LEAST A 15cm TAIL, UNTIL YOU BECOME FAMILIAR WITH THIS METHOD.

2




USE YOUR THUMB AND INDEX FINGER TO HOLD THE HOOK. LEAVE 4cm FROM THE TIP OF THE HOOK TO YOUR FINGERS, REFER TO PICTURE 'A'. PLACE YOUR MIDDLE FINGER ON THE HOOK 1.5cm AWAY FROM THE TIP. KEEP THE OTHER TWO FINGERS CLOSE TO THE CROCHET HOOK, JUST AS PICTURE 'B' SHOWS.

3




FOLLOWING THE ILLUSTRATION, HOLD THE LOOP WITH 2 FINGERS THEN GRAB THE WORKING YARN WITH THE HOOK AND PULL IT BACK THROUGH THE LOOP.

4




YOU WILL HAVE ONE LOOP ON THE HOOK.

5




PULL THE WORKING YARN THROUGH THE LOOP WITH THE HOOK FOLLOWING THE DIRECTION OF THE ARROW.

6




INSERT THE HOOK PASSING THROUGH THE LOOP FOLLOWING THE DIRECTION OF THE ARROW. THIS CREATES A CHAIN STITCH.

7




PULL THE WORKING YARN THROUGH THE LOOP WITH YOUR HOOK FOLLOWING THE DIRECTION OF THE ARROW.

8




PULL THE WORKING YARN THROUGH BOTH LOOPS WITH YOUR HOOK FOLLOWING THE DIRECTION OF THE ARROW.

9




DOUBLE CROCHET MADE, PLEASE NOTE THESE TWO STEPS MAKE ONE STITCH.

10




KEEP DRAWING THE WORKING YARN THROUGH THE LOOP FROM THE DIRECTION OF THE ARROW. REPEAT STEPS 7 & 8 SIX MORE TIMES, COMPLETING 7DC.

11




INSERT THE HOOK THROUGH THE LOOP FOLLOWING THE DIRECTION OF THE ARROW.

12




PULL THE WORKING YARN THROUGH THE LOOP WITH YOUR HOOK FOLLOWING THE DIRECTION OF THE ARROW.

13




PULL THE WORKING YARN THROUGH THE LOOP WITH YOUR HOOK FOLLOWING THE DIRECTION OF THE ARROW. A SLIP STITCH IS MADE.

14



WHEN YOU FINISH THE FIRST ROUND, YOU MAY USE THE PLASTIC NEEDLE WHEN CHANGING THE COLOUR OF THREAD TO MARK WHERE THE BEGINNING OF THE ROUND IS.

15




WHEN YOU REACH THE LAST STITCH IN THE ROUND OR ROW, CUT OFF THE YARN LEAVING A 12cm TAIL, SLIP THE END OF THE YARN THROUGH THE STITCH AND PULL IT TO TIGHTEN THE LOOP. WEAVE THE TAIL INTO YOUR WORK

#### GLOSSARY


R= ROUND OR ROW  
CH= CHAIN  
DC= DOUBLE CROCHET  
DEC= DECREASE  
INC= INCREASE  
SS= SLIP STITCH  
HTR= HALF TREBLE CROCHET  
TR= TREBLE CROCHET  
FLO= THROUGH FRONT LOOPS ONLY  
DC3TOG= DOUBLE CROCHET 3 STITCHES TOGETHER  
[BR]= BROWN YARN  
[B]= BEIGE YARN  
[O]= ORANGE YARN

**HERE ARE SOME STITCHES AS FOLLOWS:**

**CH** CHAIN STITCH




**DC** DOUBLE CROCHET



INC


INCREASE DOUBLE CROCHET



ADDITIONAL STITCH IN THE SAME SPACE MEANS YOU REPEAT A DOUBLE CROCHET TWICE FOR THE SAME STITCH SPACE LIKE THE ILLUSTRATION.

DEC

DECREASE DOUBLE CROCHET (DC2TOG)




SS

SLIP STITCH




HTR

HALF TREBLE CROCHET



TR

TREBLE CROCHET



DC3TOG

DOUBLE CROCHET 3 STITCHES TOGETHER



## TO MAKE THE BODY

YOU WILL USE BROWN YARN [BR], BEIGE YARN [B] AND ORANGE YARN [O] FOR THE BODY.

ROUND	PATTERN INSTRUCTIONS	STITCH	YARN
R1	DC 6 INTO A MAGIC RING	6	[BR]
R2	6INC	12	[BR]
R3	6(DC, INC)	18	[BR]
R4	6(DC, INC, DC)	24	[BR]
R5	6(3DC, INC)	30	[BR]
R6	6(2DC, INC, 2DC)	36	[BR]
R7	36DC	36	[BR]
R8	14DC	36	[BR]
	2DC		[B]
	4DC		[BR]
	2DC		[B]
R9	14DC	36	[BR]
	DC		[B]
	2DC		[O]
	DC		[B]
	2DC		[BR]
	DC		[B]
	2DC		[O]
	DC		[B]
	13DC		[BR]
	12DC		[BR]
R10	DC	36	[B]
	4DC		[O]
	2DC		[B]
	4DC		[O]
	DC		[B]
	12DC		[BR]
R11	11DC	36	[BR]
	DC		[B]
	12DC		[O]
	DC		[B]
	11DC		[BR]
R12	DC, INC, 9DC	38	[BR]
	DC		[B]
	12DC		[O]
	DC		[B]
	9DC, INC, DC		[BR]

## TO MAKE THE WINGS

YOU WILL USE BROWN YARN [BR] FOR THE WINGS.

ROUND	PATTERN INSTRUCTIONS	STITCH	YARN
R1	DC 6 INTO A MAGIC RING	6	[BR]
R2	6INC	12	[BR]
R3	6(DC, INC)	18	[BR]
R4	6(DC, INC, DC)	24	[BR]
R5	6(3DC, INC)	30	[BR]

## TO MAKE THE FEATHERS

YOU WILL USE BEIGE YARN [B] FOR THE FEATHERS.

ROW	PATTERN INSTRUCTIONS	STITCH	YARN
R1	9CH, TURN	9	[B]
R2	INC, DC, DEC, DEC, DC, INC, TURN	8	[B]
R3	FLO(INC, DC, DEC, DEC, DC, INC), TURN	8	[B]
R4	FLO(INC, DC3TOG, DC3TOG, INC), TURN	6	[B]
R5	FLO(DC, DEC, DEC, DC), TURN	4	[B]
R6	FLO(2DEC)	2	[B]
R7	FLO(DEC)	1	[B]

ROUND	PATTERN INSTRUCTIONS	STITCH	YARN
R13	11DC	38	[BR]
	3DC		[B]
	10DC		[O]
	3DC		[B]
R14	11DC	40	[BR]
	3DC, INC, 6DC		[BR]
	4DC		[B]
	10DC		[O]
	4DC		[B]
R15	9DC, INC	40	[BR]
	10DC		[BR]
	4DC		[B]
	4DC		[O]
R16	10DC	42	[BR]
	2DC, INC, 6DC		[BR]
	5DC		[B]
	12DC		[O]
	5DC		[B]
	6DC, INC, 2DC		[BR]
R17	15DC	42	[B]
	12DC		[O]
	15DC		[B]
R18	2(5DC, DEC), 2DC	36	[B]
	3DC, DEC, 5DC		[O]
	2(DEC, 5DC), DEC		[B]
R19	2(2DC, DEC, 2DC), 2DC	30	[B]
	DEC, 5DC, DEC		[O]
	3DC, DEC, 4DC, DEC, 2DC		[B]
R20	6(3DC, DEC)	24	[B]
R21	6(DC, DEC, DC)	18	[B]

BEFORE ASSEMBLING



AFTER ASSEMBLING



BEGIN STUFFING THE BODY

FINISH STUFFING THE BODY. SLIP STITCH THROUGH THE NEXT STITCH, CUT THE YARN, AND PULL THROUGH THE LOOP TO TIGHTEN. USE THE NEEDLE TO PULL THE YARN THROUGH THE BODY. CUT OFF THE EXCESS YARN.

TO MAKE THE TAIL

YOU WILL USE BROWN YARN [BR] FOR THE TAIL.

ROW	PATTERN INSTRUCTIONS	STITCH	YARN
R1	7CH, TURN, 6DC, CH7, TURN	12	[BR]
R2-R6	12DC	12	[BR]
R7	6DC	6	[BR]

LEAVE A LONG TAIL TO ATTACH THE ROBIN'S TAIL TO THE BODY. FOLD TAIL IN HALF LENGHTWISE. JOIN LONG SEAM. CLOSE SMALLER END.

TO MAKE THE BEAK

YOU WILL USE BROWN YARN [BR] FOR THE BEAK.

ROUND	PATTERN INSTRUCTIONS	STITCH	YARN
R1	DC 4 INTO A MAGIC RING	4	[BR]
R2	2(DC, INC)	6	[BR]
R3	6DC	6	[BR]

LEAVE A LONG TAIL TO ATTACH THE BEAK TO THE BODY.

TO MAKE THE LEGS

YOU WILL USE BROWN YARN [BR] FOR THE LEGS.

ROUND	PATTERN INSTRUCTIONS	STITCH	YARN
R1	DC 6 INTO A MAGIC RING	6	[BR]
CONTINUE TO CROCHET 5CH ONTO THE FIRST DC, THEN TURN, CONTINUE TO CROCHET 5DC.			

FASTEN OFF AND WEAVE IN THE ENDS.

ATTACHING THE ROBIN

JOIN ALL PARTS TOGETHER:



1


BEAK ON THE HEAD

PREPARE THE CROCHETED BEAK AND PLACE IT IN THE APPROPRIATE POSITION ON THE HEAD. USING THE TAIL YARN LEFT AFTER COMPLETING THE BEAK, SEW IN AND OUT TO ATTACH IT TO THE HEAD. USE THE NEEDLE TO PULL THE YARN THROUGH THE FABRIC, SEWING ALL THE WAY AROUND UNTIL THE BEAK IS SECURELY ATTACHED. THEN, PULL THE YARN OUT FROM A POSITION FARTHER FROM THE SEWING AREA AND CUT IT OFF.

2

WINGS ON THE BODY


FOLD THE CROCHETED CIRCULAR WINGS IN HALF, MAKING ONE SIDE SLIGHTLY LONGER THAN THE OTHER. THEN, PLACE THE FEATHERS ON THE LONGER SIDE OF THE WING. THREAD THE PLASTIC NEEDLE WITH THE TAIL YARN OF THE CROCHETED WING AND SEW THE WING'S TEXTURE AS SHOWN ON THE BELOW IMAGE. USE THE HIDDEN STITCH METHOD TO SEW THE WINGS ONTO THE BODY. ONCE THE WINGS ARE SECURELY ATTACHED, PULL THE TAIL YARN OUT FROM THE BODY AND TRIM ANY EXCESS YARN.



3

TAIL ON THE BODY

PREPARE THE CROCHETED TAIL AND PLACE IT IN THE APPROPRIATE POSITION ON THE BODY. USING THE TAIL YARN LEFT AFTER COMPLETING THE TAIL, SEW IN AND OUT TO ATTACH IT TO THE BODY. USE THE NEEDLE TO PULL THE YARN THROUGH THE FABRIC, SEWING ALL THE WAY AROUND UNTIL THE TAIL IS SECURELY ATTACHED. THEN, PULL THE YARN OUT FROM A POSITION FARTHER FROM THE SEWING AREA AND CUT IT OFF.



4

LEGS ON THE BODY

PREPARE THE WIRE AND THE CROCHETED LEGS. FOLD THE WIRE TWICE TO A LENGTH OF 6cm, THEN WRAP IT WITH BROWN YARN [BR]. USE A HOT GLUE GUN/GLUE DOTS OR GLUE TO SECURE THE YARN ENDS TO PREVENT THEM FROM UNRAVELLING. AFTER WRAPPING, GLUE THE WIRE TO THE MIDDLE PART UNDERNEATH THE LEGS. THEN, SEW THE CROCHET LEGS TO THE WIRE USING WHIP STITCH. BEND THE LEGS AND WIRE AT A 90 DEGREE ANGLE. FINALLY, INSERT THEM INTO THE APPROPRIATE POSITION ON THE BODY AND SECURE THEM WITH GLUE OR WHIP STITCH. REPEAT THE SAME STEPS TO MAKE THE SECOND LEG. ONCE BOTH LEGS ARE ATTACHED, THE ROBIN IS COMPLETE.

