

make&create®

BEFORE BEGINNING THIS PROJECT, YOU'LL HAVE TO LEARN SOME BASIC CROCHET TECHNIQUES: MAGIC LOOP, DOUBLE CROCHET AND FASTENING OFF. TO START WITH, USE THE CROCHET HOOK TO CREATE A MAGIC LOOP.




FOLLOWING THE ILLUSTRATION, WRAP THE YARN AROUND YOUR FINGER TWICE. LEAVE AT LEAST A 15cm TAIL, UNTIL YOU BECOME FAMILIAR WITH THIS METHOD.




USE YOUR THUMB AND INDEX FINGER TO HOLD THE HOOK. LEAVE 4cm FROM THE TIP OF THE HOOK TO YOUR FINGERS, REFER TO PICTURE 'A'. PLACE YOUR MIDDLE FINGER ON THE HOOK I.5cm AWAY FROM THE TIP. KEEP THE OTHER TWO FINGERS CLOSE TO THE CROCHET HOOK, JUST AS PICTURE 'B' SHOWS.




FOLLOWING THE ILLUSTRATION, HOLD THE LOOP WITH 2 FINGERS THEN GRAB THE WORKING YARN WITH THE HOOK AND PULL IT BACK THROUGH THE LOOP.




YOU WILL HAVE ONE LOOP ON THE HOOK.




PULL THE WORKING YARN THROUGH THE LOOP WITH THE HOOK FOLLOWING THE DIRECTION OF THE ARROW.




INSERT THE HOOK PASSING THROUGH THE LOOP FOLLOWING THE DIRECTION OF THE ARROW. THIS CREATES A CHAIN STITCH.




PULL THE WORKING YARN THROUGH THE LOOP WITH YOUR HOOK FOLLOWING THE DIRECTION OF THE ARROW.




PULL THE WORKING YARN THROUGH BOTH LOOPS WITH YOUR HOOK FOLLOWING THE DIRECTION OF THE ARROW.




DOUBLE CROCHET MADE, PLEASE NOTE THESE TWO STEPS MAKE ONE STITCH.




KEEP DRAWING THE WORKING YARN THROUGH THE LOOP FROM THE DIRECTION OF THE ARROW. REPEAT STEPS 7 & 8 SIX MORE TIMES, COMPLETING 7DC.




INSERT THE HOOK THROUGH THE LOOP FOLLOWING THE DIRECTION OF THE ARROW.




PULL THE WORKING YARN THROUGH THE LOOP WITH YOUR HOOK FOLLOWING THE DIRECTION OF THE ARROW.



PULL THE WORKING YARN THROUGH THE LOOP WITH YOUR HOOK FOLLOWING THE DIRECTION OF THE ARROW AGAIN. A SLIP STITCH IS MADE.



WHEN YOU FINISH THE FIRST ROUND, YOU MAY USE THE PLASTIC NEEDLE WHEN CHANGING THE COLOUR OF THREAD TO MARK WHERE THE BEGINNING OF THE ROUND IS.




WHEN YOU REACH THE LAST STITCH IN THE ROUND OR ROW, CUT OFF THE YARN LEAVING A 12cm TAIL, SLIP THE END OF THE YARN THROUGH THE STITCH AND PULL IT TO TIGHTEN THE LOOP. WEAVE THE TAIL INTO YOUR WORK

GLOSSARY


R= ROUND
CH= CHAIN
DC= DOUBLE CROCHET
DEC= DECREASE
INC= INCREASE
SS= SLIP STITCH
[B]= BLACK YARN
[W]= WHITE YARN
[R]= RED YARN
[O]= ORANGE YARN
[O]= ORANGE YARN

HERE ARE SOME STITCHES AS FOLLOWS:



DC DOUBLE CROCHET



















INCREASE DOUBLE CROCHET







ADDITIONAL STITCH IN THE SAME SPACE MEANS YOU REPEAT A DOUBLE CROCHET TWICE FOR THE SAME STITCH SPACE LIKE THE ILLUSTRATION.


DEC

DECREASE DOUBLE CROCHET (DC2TOG)









SS

SLIP STITCH







TO MAKE THE LEGS AND BODY

YOU WILL USE ORANGE YARN [O], BLACK YARN [B], WHITE YARN [W], RED YARN [R] AND GREEN YARN [G] FOR THE LEGS AND BODY.

ROUND	PATTERN INSTRUCTIONS	STITCH	YARN
RI	DC 6 INTO A MAGIC RING	6	[0]
R2	3(DC, INC)	9	[0]
R3	9DC	9	[0]
R4	3(DC, DEC)	6	[0]
R5	6INC	12	[B]
R6	2DC, INC, 5DC, 2INC, 2DC	15	[B]

CROCHET TWO LEGS



R7	I2DC,THEN CROCHET ON THE FOURTH STITCH OF THE OTHER LEG, I8DC	30	[B]			
R8	4DC, INC, I4DC, INC, I0DC	32	[B]			
R9	4DC, 2INC, 14DC, 2INC, 10DC	36	[B]			
R10	36DC	36	[W]			
RII	36DC	36	[R]			
R12-18	36DC	36	[C]			
R19	6(2DC, DEC, 2DC)	30	[W]			
R20	30 D C	30	[R]			
R2I	6(3DC, DEC)	24	[c]			
R22	24DC	24	[c]			
R23	6(DC, DEC, DC)	[c]				
BEGIN STUFFING THE LEGS AND BODY						
R24	I8DC	18	[c]			

FINISH STUFFING THE LEGS AND BODY, THEN CUT THE YARN LEAVING A LONG TAIL TO ATTACH IT TO THE HEAD.

TO MAKE THE BEAK

YOU WILL USE ORANGE YARN [O] FOR THE BEAK.

ROUND	PATTERN INSTRUCTIONS	YARN					
RI	DC 3 INTO A MAGIC RING	[0]					
R2	3INC	[0]					
BEGIN STUFFING THE BEAK							
R3	3(DC, INC)	9	[0]				

FINISH STUFFING THE BEAK, THEN CUT THE YARN, LEAVING A LONG TAIL TO ATTACH THE BEAK TO THE HEAD.

TO MAKE THE HEAD

YOU WILL USE BLACK YARN [B] AND WHITE YARN [W] FOR THE HEAD.

ROUND	PA	TTER	SN	INSTR	U	стіо	NS	STITCH	YARN
RI	DC	DC 6 INTO A MAGIC RING						6	[B]
R2				6INC				12	[B]
R3			6(DC, IN	C)			18	[B]
R4		6(DO	C, INC,	D	C)		24	[B]
R5			6(3	BDC, IN	C))		30	[B]
R6				30DC				30	[B]
	[B]	[W]	[B]	[W] [B]		[B]		
R7	9DC	3 D	С	6DC	3DC		9DC	30	
R8	8DC	5 D	С	4DC	5DC		8DC	30	
R9	7DC	7D	С	2DC	7DC		7DC	30	
RI0	6DC	8 D	С	2DC	8DC		6DC	30	
RII-RI3	6DC	18D	С	6DC				30	
	[B]		[W]	[W] [B]				
RI4	3DC, [2(3DC, DEC, 2DC, DEC) 4DC, DEC			C, DEC	24	
R15		6(DC, DEC, DC) 18 [W]							[w]
BEFORE ASSEMBLING AFTER ASSEMBLING BEGIN STUFFING THE HEAD									
RI6	6(DC, DEC)							12	[w]
R17	6DEC					6	[w]		

FINISH STUFFING THE HEAD, THEN CUT THE YARN LEAVING A LONG TAIL TO ATTACH THE HEAD TO THE BODY.

TO MAKE THE ARMS


YOU WILL USE BLACK YARN [B], WHITE YARN [W], RED YARN [R] AND GREEN YARN [G] FOR THE ARMS.

ROUND	PATTERN INSTRUCTIONS	STITCH	YARN				
RI	DC 6 INTO A MAGIC RING	6	[B]				
R2	3(DC, INC)	9	[B]				
R3-R4	9DC	9	[B]				
R5	9DC	9	[R]				
R6-R9	9DC	9	[c]				
RI0	9DC	9	[W]				
RII	9DC	9	[R]				
R12-R14	9DC	9	[c]				
BEGIN STUFFING THE ARMS							
R15	9DC	9	[c]				


FINISH STUFFING THE ARMS. CUT THE YARN LEAVING A LONG TAIL TO ATTACH THE ARMS TO THE BODY.

ATTACHING THE PENGUIN

JOIN ALL PARTS TOGETHER:









INVISIBLE STITCH

WHOLE STITCH

RUNNING STITCH

FRENCH KNOT



BEAK ON THE HEAD

STUFF THE BEAK, THEN PLACE IT IN THE APPROPRIATE POSITION ON THE HEAD. USING THE TAIL LEFT AFTER COMPLETING THE BEAK, SEW IN AND OUT TO ATTACH THE BEAK TO THE HEAD. USE THE NEEDLE TO PULL THE YARN THROUGH THE FABRIC. SEW ALL THE WAY AROUND UNTIL THE BEAK IS SECURELY ATTACHED, THEN PULL THE YARN OUT FROM A POSITION FARTHER FROM THE SEWING AREA AND CUT THE YARN.



MAKING A SNOWFLAKE JUMPER

FINALLY, THREAD THE WHITE YARN THROUGH THE PLASTIC NEEDLE, INSERT IT FROM THE BACK OF THE BODY, LEAVING A TAIL, AND PULL IT OUT FROM THE FRONT. USE THE GIVEN STITCH TO SEW THE SNOWFLAKES, STARS, AND ROUND DOTS AS EMBELLISHMENTS. ONCE FINISHED, PULL THE YARN OUT FROM THE POINT WHERE IT WAS INSERTED, TIE A KNOT WITH THE TWO TAIL THREADS, CUT OFF THE EXCESS YARN, AND USE THE PLASTIC NEEDLE TO TUCK THE TAIL THREADS INTO THE BODY.





ARMS ON THE BODY

PLACE THE FIRST ARM IN THE POSITION WHERE YOU WANT IT TO BE ATTACHED TO THE BODY. USING THE TAIL LEFT AFTER COMPLETING THE ARM, SEW BACK AND FORTH BETWEEN THE ARM TOP AND THE BODY TO SECURE THE ARM. USE THE NEEDLE TO PULL THE YARN THROUGH THE FABRIC. SEW ALL THE WAY AROUND UNTIL THE ARM IS SECURELY ATTACHED, THEN PULL THE YARN OUT FROM A POSITION FARTHER FROM THE SEWING AREA AND CUT THE YARN. REPEAT THE SAME STEPS TO SEW ON THE SECOND ARM.







HEAD ON THE BODY

PLACE THE HEAD ON TOP OF THE BODY. USING THE TAIL LEFT AFTER COMPLETING THE BODY, SEW IN AND OUT TO ATTACH THE HEAD TO THE BODY. USE THE NEEDLE TO PULL THE YARN THROUGH THE FABRIC. SEW ALL THE WAY AROUND UNTIL THE HEAD IS SECURELY ATTACHED, THEN PULL THE YARN OUT FROM A POSITION FARTHER FROM THE SEWING AREA AND CUT THE YARN.



